

Amendments to the claims:

1. (currently amended) A face balanced putter ~~club head~~ comprising:

a club head body having a toe region, a heel region, a sole, and a top surface opposite said sole; ~~and~~

a hosel ~~coupled~~ connected to said top surface and ~~configured to accept a shaft,~~ club head body;

a shaft received in said hosel, said shaft having a longitudinal axis which intersects the center of gravity of said club head body;

~~wherein~~ said club head body having a toe thickness defined by a distance between said top surface and said sole in said toe region, ~~and~~ said club head body also having a heel thickness defined by a distance between said top surface and said sole in said heel region, ~~wherein~~ said toe thickness is being greater than said heel thickness, ~~and wherein said club head body in said heel region is weight compensated to substantially balance with said toe region, ; and~~

~~wherein said club head body is configured such that when said sole is substantially parallel with a reference surface, said top surface is substantially parallel with said reference surface.~~

said heel region having a cutout formed therein rearward of said face between said top surface and said sole, said toe region having another cutout formed therein rearward of said face

DO NOT ENTER 11/6/06

between said top surface and said sole, said cutout in said toe region having a greater volume than said another cutout in said heel region.

2. (currently amended) The putter ~~club head~~ of claim 1, wherein said hosel is located at substantially ~~the midpoint~~ midway between said toe region and said heel region.

3. (currently amended) The putter ~~club head~~ of claim 1, wherein said top surface has a concave profile.

4. (currently amended) The putter ~~club head~~ of claim 3, wherein said top surface profile has a radius of curvature greater than or equal to a radius of curvature of a profile of said sole.

5. (currently amended) The putter ~~club head~~ of claim 1, wherein said toe thickness is equal to said heel thickness multiplied by a toe-up factor, wherein said toe-up factor is between approximately 1.20 and 1.40.

6. (canceled)

7. (currently amended) The putter ~~club head~~ of claim 1, wherein said ~~club head body~~ includes a toe cut-out having in said toe region has a first depth and a heel ~~said~~ cut-out having in said heel region has a second depth, and wherein said first depth is greater than said second depth.

8. (canceled)

9. (canceled)

10. (canceled)

11. (canceled)

12. (canceled)

13. (canceled)

14. (canceled)

15. (new) The putter of claim 1, wherein said hosel comprises a bore formed in the top surface of said club head body.